

SHOWER STALL

Oasis



32-3/8 INCH MODEL

SH-3232

Rough-In Dimensions

32" wide x 33-1/4" deep x 73-1/4" high (w/ 4-inch dam)

Finished Dimensions

32" wide x 32" deep x 72" high (w/ 4-inch dam)

Unit Features



Home Innovation
LAB CERTIFIED™

- One - Piece Fiberglass Composite Construction
- Sanitary Grade Polyester Gelcoat Surface
- 3-3/8" Dia. Center Drain (see reverse side for location)
- Twin, Elevated Corner Accessory Towers
- Textured Floor Pattern
- Balsa Wood Core Floor Structure

Special Notes

- Optional ABF Model (provides 3-inches of drain clearance)


Order No.: SH-3232 (4" dam)

SH-3232 ABF (6" dam)

32" x 32", one-piece gelcoated fiberglass shower stall with a 4" low profile dam (1" drain clearance), dual accessory towers, wall surround, and center drain.

SH-3232

	Std Unit	ABF Unit
A	73-1/4"	75-1/4"
B	72"	74"
C	4"	6"
D	1"	3"
E	-	-
F	-	-




Enclosure Size:
28-5/8"w (max) x 68"h (max)

NOTE: This model is non-conforming in size and has less than a 900 square-inch interior area.


Package Order No.: 3SM (3-side, mid-level wall reinforcement)

Package Includes: Factory applied, 3-side, mid-level, structurally reinforced wall areas (as shown), exceeding 'Fair Housing' (HUD/FHA) requirements.



Package Order No.: 3SF (3-side, full-wall reinforcement)

Package Includes: Factory applied, 3-side, full-wrap, structurally reinforced wall areas (as shown), exceeding 'Fair Housing' (HUD/FHA) requirements, for the independent field application of bars.



Photographic images may include optional components and appear different than actual product.
 Dimensions shown are maximum. Due to the nature of the materials involved, actual unit dimensions can vary (tolerances: +0 / -3/8 inch).
 Oasis reserves the right to modify or discontinue product and/or associated equipment without prior written or verbal notification or obligation.